

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
18 July 2002 (18.07.2002)

PCT

(10) International Publication Number
WO 02/055043 A1

(51) International Patent Classification⁷: **A61K 7/16**,
7/20, 7/22

(21) International Application Number: PCT/EP01/14496

(22) International Filing Date: 7 December 2001 (07.12.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
01300336.3 16 January 2001 (16.01.2001) EP

(71) Applicant (for AE, AL, AM, AT, AZ, BA, BE, BF, BG, BJ, BR, BY, CF, CG, CH, CI, CM, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, FR, GA, GE, GN, GQ, GR, GW, HR, HU, ID, IS, IT, JP, KG, KP, KR, KZ, LC, LR, LT, LU, LV, MA, MC, MD, MG, MK, ML, MR, MX, NE, NL, NO, PH, PL, PT, RO, RU, SE, SI, SK, SN, TD, TG, TJ, TM, TR, UA, UZ, VN, YU only): **UNILEVER N.V.** [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).

(71) Applicant (for AG, AU, BB, BZ, CA, CY, GB, GD, GH, GM, IE, IL, KE, LK, LS, MN, MW, MZ, NZ, SD, SG, SL, SZ, TT, TZ, UG, ZA, ZW only): **UNILEVER PLC** [GB/GB]; Unilever House, Blackfriars, London, Greater London EC4P 4BQ (GB).

(71) Applicant (for IN only): **HINDUSTAN LEVER LTD.** [IN/IN]; Hindustan Lever House, 165-166 Backbay Reclamation, Mumbai 400 020 (IN).

(72) Inventors: **BHAKOO, Manmohan**; Unilever Research Port Sunlight, Quarry Road East, Bebington, Merseyside CH63 3JW (GB). **JOINER, Andrew**; Unilever Research Port Sunlight, Quarry Road East, Bebington, Merseyside CH63 3JW (GB). **STEELE, Katherine, Anne**; Unilever Research Port Sunlight, Quarry Road East, Bebington,

Merseyside CH3 3JW (GB). **TAYLOR, David**; Unilever Research Port Sunlight, Quarry Road East, Bebington, Merseyside CH63 3JW (GB). **THOMPSON, Katherine, Mary**; Unilever Research Port Sunlight, Quarry Road East, Bebington, Merseyside CH63 3JW (GB). **THORNTHWAITE, David, William**; Unilever Research Port Sunlight, Quarry Road East, Bebington, Merseyside CH63 3JW (GB).

(74) Agent: **KAN, Jacob**; Unilever N.V., Patent Department, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- entirely in electronic form (except for this front page) and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ORAL COMPOSITION

(57) Abstract: An oral composition comprising picolinic acid and a peroxy species or equivalent source thereof, characterised in that the molar ratio of picolinic acid to peroxy species or equivalent source thereof is from 1:30 to 100:1.

WO 02/055043 A1

- 1 -

ORAL COMPOSITION

The present invention relates to an oral composition according to the preamble of claim 1.

5

Peroxyl species, in particular hydrogen peroxide and sources thereof, are well-known antimicrobial agents, although they have not been widely used in deodorant products for use on the human body. It is also known that the stability of such materials can be improved by the addition of small amounts of transition metal chelator. The use of dipicolinic acid for such purpose is described in several publications, for example EP 666,307 A (Procter and Gamble). Dipicolinic acid is also claimed to improve the antimicrobial effect hydrogen peroxide - see EP 845,526 A (Eka Chemicals).

15

Picolinic acid has been described in WO9007501 (Solvay Interlox) as a stabiliser for percarboxylic acid bleaching compositions. The picolinic acid is added in minor amounts to sequester transition metals which catalyse peroxygen compound decomposition. Picolinic acid is also listed as an optional component for this purpose in EP 1,074,607 (Ausimont S.p.A.).

20

We have discovered that synergistic mixtures of picolinic acid and a peroxyl species or equivalent source thereof can achieve the target of providing an excellent antimicrobial benefit and subsequent protection against plaque, caries and gingivitis. We have also found that synergistic mixtures of picolinic acid and a peroxyl species or equivalent source

30

- 2 -

thereof can achieve the target of providing an excellent tooth whitening benefit.

5 None of the prior art discloses or suggests the products of the present invention, nor the excellent antimicrobial and tooth whitening benefits obtainable by the use thereof.

We have found that use of a synergistic mixture of picolinic acid and a peroxy species or equivalent source thereof
10 gives an excellent tooth whitening antimicrobial benefit-much greater than that obtained from either of the two components individually. In addition, the addition of picolinic acid at such a level as to give said synergistic benefit enables less of the peroxy species or equivalent
15 source thereof to be used in the product - a significant benefit for products used on the human body.

Thus, in a first aspect of the invention, there is provided an oral composition according to claim 1.

20

In a second aspect of the present invention, there is provided a cosmetic method of whitening the teeth comprising the use of picolinic acid and a peroxy species or equivalent source thereof.

25

In a third aspect of the present invention, there is provided a method for the manufacture of an oral composition for the treatment of gingivitis, caries and/or plaque by mixing picolinic acid and a peroxy species or equivalent
30 source thereof with a cosmetically acceptable carrier material.

- 3 -

The antimicrobial and tooth whitening benefit derived from use of the present invention may be gained by independent application of picolinic acid and the peroxy species or equivalent source thereof. Such application may be concurrent or consecutive, provided that the treated substrate experiences the presence of both components at the same time. When the components are applied from independent compositions, it is preferred that the product also comprises a means for, and/or instruction for, both of the compositions to be applied to the human body. Where the peracid and picolinic acid are stored independently from one another the formulatory requirements may be such that the stability of either is optimised. For example, if one formulation comprises a peracid such as PAP the pH of the formulation will be between 3.5 and 5, preferably 4. The formulation of the formulation comprising picolinic acid will then be modified such that when the two components are mixed they provide an oral composition according to the invention and having an acceptable pH of between 6.5 and 7.5.

It is preferred that the picolinic acid and the peroxy species or equivalent source thereof are applied from the same composition. A preferred product according to the invention is a single composition comprising both the picolinic acid and the peroxy species or equivalent source thereof.

The cosmetic method of gaining an antimicrobial benefit on the human body referred to in the second aspect of the

- 4 -

present invention preferably uses the picolinic acid and the peroxy species or equivalent source thereof at a molar ratio of from 1:30 to 100:1. This molar ratio, and that present in the composition according to the first aspect of the invention, is more preferably from 1:20 to 50:1 and most preferably from 1:10 to 20:1.

Picolinic acid is an essential component in the products of the invention. It may be used at a level of from 0.01% to 10%, particularly from 0.1% to 8%, and especially from 0.15% to 5%, by weight based on total weight of the composition. The picolinic acid may be used in its acid form or as its salt. Suitable salts include alkaline metal salts, alkaline earth metal salts, amine salts, and quaternary ammonium salts. When the picolinic acid is partially or totally in its salt form, the preferred amount is equivalent to the aforementioned preferred levels, on a molar basis.


The products of the invention comprise a peroxy species per se or a material that generates a peroxy species in situ. A peroxy species is one that comprises a peroxy (-O-O-) group. Examples of suitable peroxy species include hydrogen peroxide and peracids. Examples of equivalent sources thereof are compounds that produce hydrogen peroxide on dissolution in water, such as sodium perborate monohydrate, sodium perborate tetrahydrate, sodium percarbonate and percarbamide (urea-hydrogen peroxide addition compound). Further examples are enzymatic hydrogen peroxide generating systems such as peroxidases, oxidases and other oxido-reductase enzyme systems, in conjunction

- 5 -

with their appropriate substrates. Preferred products comprise a peracid, in particular a peracid of formula (1)

(1)

5



in which R is hydrogen or C₁-C₄ alkyl; n is 1 to 5; and X is C = O or SO₂.

- 10 The peroxy amido phthalamides of formula 1) are known per se and have been described in EP-A-325,288 and EP-A-325,289. A preferred compound of this formula is N-phthalimido hexanoic peroxy acid ("PAP") of formula 1), in which R = H, n = 5 and X = C=O. An example of a compound according to formula 1)
- 15 wherein x = SO₂ is saccharin-perhexanoic acid ("saccharin PAP"), as described in EP-A-485,927. Alternatively, a compound that produces hydrogen peroxide on dissolution in water, rather than hydrogen peroxide itself. Suitable peracids include any of those mentioned in WO96/05802 the
- 20 contents relating to peracids being hereby incorporated by reference.

Particularly preferred products comprise a compound that produces hydrogen peroxide on dissolution in water,

- 6 -

especially products from which hydrogen peroxide is absent,
prior to application.

The amount of peroxy species or equivalent source thereof
5 in compositions of the invention may range from 0.0001% to
5%, more preferably from 0.001 to 1.5%, most preferably from
0.005% to 0.5%, by weight based on total weight of the
composition.

10 Where the oral composition is to be used for its
antimicrobial effect the composition may also comprise a
transition metal chelator. Whilst picolinic acid is a
transition metal chelator, performance may be increased by
the use of a further material of this class, in particular a
15 material having a high binding constant for iron (III); that
is to say, a binding constant for iron (III) of greater than
 10^{15} , preferably greater than 10^{20} , and most preferably
greater than 10^{26} . A particularly preferred material of this
class is diethylenetriaminepentaacetic acid (DTPA). Salts
20 of such materials may also be employed, suitable salts being
analogous to those described as suitable picolinic acid
salts (*vide supra*). The total amount of additional
transition metal chelator and salt thereof that is employed
is typically from 0.1% to 5%, in particular from 0.2% to 3%,
25 and especially from 0.4% to 2% by weight of the composition
of which it is a part.

The oral composition according to the invention comprise
further ingredients which are common in the art, such as:

30

- 7 -

antimicrobial agents, e.g. Triclosan, chlorhexidine, copper-, zinc- and stannous salts such as zinc citrate, zinc sulphate, zinc glycinate, sodium zinc citrate and stannous pyrophosphate, sanguinarine extract, metronidazole,

5 quaternary ammonium compounds, such as cetylpyridinium chloride; bis-guanides, such as chlorhexidine digluconate, hexetidine, octenidine, alexidine; and halogenated bisphenolic compounds, such as 2,2' methylenebis-(4-chloro-6-bromophenol);

10

anti-inflammatory agents such as ibuprofen, flurbiprofen, aspirin, indomethacin etc.;

anti-carries agents such as sodium- and stannous fluoride,
15 aminefluorides, sodium monofluorophosphate, sodium trimeta phosphate and casein;

plaque buffers such as urea, calcium lactate, calcium glycerophosphate and strontium polyacrylates;

20

vitamins such as Vitamins A, C and E;

plant extracts;

25 desensitising agents, e.g. potassium citrate, potassium chloride, potassium tartrate, potassium bicarbonate, potassium oxalate, potassium nitrate and strontium salts;

anti-calculus agents, e.g. alkali-metal pyrophosphates,
30 hypophosphite-containing polymers, organic phosphonates and phosphocitrates etc.;

- 8 -

biomolecules, e.g. bacteriocins, antibodies, enzymes, etc.;

flavours, e.g. peppermint and spearmint oils;

5

proteinaceous materials such as collagen;

preservatives;

10 opacifying agents;

colouring agents;

pH-adjusting agents;

15

sweetening agents;

pharmaceutically acceptable carriers, e.g. starch, sucrose,
water or water/alcohol systems etc.;

20

surfactants, such as anionic, nonionic, cationic and
zwitterionic or amphoteric surfactants;

particulate abrasive materials such as silicas, aluminas,

25

calcium carbonates, dicalciumphosphates, calcium
pyrophosphates, hydroxyapatites, trimetaphosphates,
insoluble hexametaphosphates and so on, including
agglomerated particulate abrasive materials, usually in
amounts between 3 and 60% by weight of the oral care
30 composition.

- 9 -

humectants such as glycerol, sorbitol, propyleneglycol, xylitol, lactitol etc.;

binders and thickeners such as sodium carboxymethyl-
5 cellulose, xanthan gum, gum arabic etc. as well as synthetic polymers such as polyacrylates and carboxyvinyl polymers such as Carbopol®;

polymeric compounds which can enhance the delivery of active
10 ingredients such as antimicrobial agents can also be included. Examples of such polymers are copolymers of polyvinylmethylether with maleic anhydride and other similar delivery enhancing polymers, e.g. those described in DE-A-3,942,643 (Colgate);

15 buffers and salts to buffer the pH and ionic strength of the oral care composition; and

other optional ingredients that may be included are e.g.
20 bleaching agents such as peroxy compounds e.g. potassium peroxydiphosphate, effervescing systems such as sodium bicarbonate/citric acid systems, colour change systems, and so on.

25 Liposomes may also be used to improve delivery or stability of active ingredients.

The oral compositions may be in any form common in the art, e.g. toothpaste, gel, mousse, aerosol, gum, lozenge, powder,
30 cream, etc. and may also be formulated into systems for use in dual-compartment type dispensers.

- 10 -

EXAMPLE 1

The bleaching agents were evaluated as follows:

- (1) Synthetic hydroxyapatite discs were polished and placed in sterile saliva at 37°C overnight to form a pellicle.
- (2) Discs were stained with tea solution for seven days at 37°C.
- (3) Stained discs were immersed in bleaching solutions for desired time.
- (4) The change in colour of the discs was measured using a Minolta chromameter CR-300 in L*a*b* mode. Using L* (initial), L* (soiled), and L* (cleaned), the percentage of stain removed was calculated. A negative value indicates a darkening and a positive value indicates a bleaching (whitening) effect.

All formulations used were made up in 0.5 M NaHCO₃. A negative value indicates a darkening and

Table 1 below shows the use of picolinic acid alone and together with either 0.1 % H₂O₂ or PAP.

	% Stain Removed
	10 mins
0.1% H ₂ O ₂	2
0.5 0.1 % H ₂ O ₂ /5%	13

- 11 -

picolinic acid	
1% PAP	27
1% PAP/5% picolinic acid	46
5% picolinic acid	8

The results show in the table, show that the addition of a picolinic acid to the peracid provides a more effective
5 bleaching composition over picolinic acid or the peracid alone.

EXAMPLE 2

10 The following oral composition comprises two formulations: a PAP-gel formulation and a pH-adjusting formulation.

PAP-gel formulation

15

Ingredient	Amount (% w/w)
PAP	0.6
Gantrez	3.0
Xanthan	0.2
Silica	9.0
Sodium hydroxide	0.5
Water	to 100

PAP is commercially available as Eureco HC-17 (ex. Ausimont).

- 12 -

This formulation has a pH of 4.

- 13 -

pH-adjusting formulation

Ingredient	Amount % (w/w)
Gantrez	3.0
Xanthan	0.2
Silica	6.0
picolinic acid	5.0
Saccharin	0.25
pH agent (TSP or NaOH)	to pH 11
KNO ₃	5.0
NaF/SMFP	to 1500ppm
Colour	as appropriate
Water	to 100

- 5 When both the PAP-formulation and the pH-adjusting formulation are mixed together the pH of the resulting composition is between about 6.5 and 8.5.

- 14 -

CLAIMS

1. An oral composition comprising picolinic acid and a peroxy species or equivalent source thereof,
5 characterised in that the molar ratio of picolinic acid to peroxy species or equivalent source thereof is from 1:30 to 100:1.
2. An oral composition as in claim 1, wherein the peroxy
10 species or equivalent source thereof is a peracid or a compound that produces hydrogen peroxide on dissolution in water.
3. An oral composition according to any of preceding
15 claims and comprising an additional transition metal chelator.
4. A deodorant product according to any preceding claim,
20 wherein the composition comprises a transition metal chelator having a binding coefficient for iron (III) of greater than 10^{15} .
5. An oral composition according to any preceding claim,
25 wherein the composition comprises diethylenetriaminepentaacetic acid as a transition metal chelator.
6. An oral composition according to any of the preceding
30 claims, wherein the molar ratio of picolinic acid to peroxy species or equivalent source thereof is from 1:10 to 20:1.

- 15 -

7. An oral composition according to any of the preceding claims, wherein the picolinic acid is present at a level from 0.01% to 10% by weight of the composition of which it is a part.
8. An oral composition according to any preceding claim, wherein the picolinic acid is present at a level from 0.15% to 2.5% by weight of the composition of which it is a part.
9. An oral composition according to any of the preceding claims, wherein the peroxy species or equivalent source thereof is present at a level from 0.0001% to 1.5% by weight of the composition of which it is a part.
10. An oral composition according to any preceding claim, wherein the peroxy species or equivalent source thereof is present at a level from 0.003% to 0.5% by weight of the composition of which it is a part.
11. An oral composition according to any of the preceding claims and comprising a cosmetically acceptable carrier material.
12. Use of an oral composition according to any preceding claim for a treatment selected from the group consisting of tooth whitening, anti-plaque, anti-malodour, anti-caries and anti-tartar.

- 16 -

13. Use of a composition according to any preceding claim
in the manufacture of a medicament for a treatment
selected from the group consisting of tooth whitening,
5 anti-plaque, anti-malodour, anti-caries and anti-
tartar.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/14496

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K7/16 A61K7/20 A61K7/22

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 435 808 A (HOLZHAUER FREDERICK W ET AL) 25 July 1995 (1995-07-25) claims	1,2,7,8, 11,13
A	DE 23 29 753 A (NAT PATENT DEV CORP) 13 December 1973 (1973-12-13) page 2 -page 3; claims	1-13
A	EP 0 545 594 A (COLGATE PALMOLIVE CO) 9 June 1993 (1993-06-09) page 3; claims	1-13
A	EP 0 906 950 A (PROCTER & GAMBLE) 7 April 1999 (1999-04-07) page 4 -page 5; claims	1
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

3 May 2002

Date of mailing of the international search report

14/05/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Pfannenstein, H

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/14496

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 90 07501 A (INTEROX CHEMICALS LTD) 12 July 1990 (1990-07-12) cited in the application page 10 -page 11; claims -----	1
A	EP 1 010 750 A (PROCTER & GAMBLE) 21 June 2000 (2000-06-21) page 4, line 44; claims page 3, line 31 - line 34 -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 01/14496

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5435808	A	25-07-1995	US 5472619 A US 5647997 A	05-12-1995 15-07-1997
DE 2329753	A	13-12-1973	AU 5678773 A DE 2329753 A1 FR 2187288 A1 JP 49048847 A AU 5740373 A CA 984755 A1 DE 2335762 A1 FR 2196784 A1	12-12-1974 13-12-1973 18-01-1974 11-05-1974 09-01-1975 02-03-1976 04-04-1974 22-03-1974
EP 0545594	A	09-06-1993	US 5279816 A AT 137401 T AU 652865 B2 AU 2834292 A BR 9204494 A CA 2083409 A1 CN 1072591 A DE 69210361 D1 EP 0545594 A1 GR 1001452 B JP 5194169 A MX 9206432 A1 NO 301103 B1 NZ 245016 A ZA 9208700 A	18-01-1994 15-05-1996 08-09-1994 27-05-1993 25-05-1993 23-05-1993 02-06-1993 05-06-1996 09-06-1993 30-12-1993 03-08-1993 01-05-1993 15-09-1997 27-04-1995 11-05-1994
EP 0906950	A	07-04-1999	EP 0906950 A1 AU 9091898 A BR 9812848 A CA 2305565 A1 EP 1021506 A1 WO 9918180 A1 JP 2001519459 T	07-04-1999 27-04-1999 08-08-2000 15-04-1999 26-07-2000 15-04-1999 23-10-2001
WO 9007501	A	12-07-1990	WO 9007501 A1	12-07-1990
EP 1010750	A	21-06-2000	EP 1010750 A1 AU 1938200 A BR 9916215 A CN 1334860 T EP 1010751 A2 TR 200101700 T2 WO 0036072 A1	21-06-2000 03-07-2000 11-09-2001 06-02-2002 21-06-2000 21-01-2002 22-06-2000